

LeFu LF1700-D4 Automatic Warm and Cold Laminator



Model: LF1700-D4 Automatic Laminator
Max Lamination Width: 1630mm/64"
Lamination Temp: 0~60°C/0~140°F
Max Lamination Speed: 9 M/Minute'

LF1700-D4 Automatic Warm and Cold Laminator



Model	LF1700-D4
Cutters	Above 3 sets
Max Lamination Width	1630mm/64"
Max Lamination Thickness	23mm/0.9"
Lamination Speed	0~9m/minute
Laminating Type	Cold and Warm
Diameter of Upper Roller	120mm (Silicon)
Preheated Time	10-15 min
Pressure/Height Adjust	Automatic
Lamination Temp	0~60°C/0~140°F
Voltage	AC110V-240V 50HZ-60HZ
Working Power	1400W
Working Electric Current	9A
Hand Protection Device	Safety Laser Sensor
Anti Static Electricity	Yes
Working Video on YouTube	https://youtu.be/TmSWuOrdN5g
Web Link	https://www.hotlaminator.cn/LF1700-D4.html
Certificate	CE, RCM, ROHS
Packing Dimension	2260*860*720mm=1.4CBM
G.W.	240KGS
FOB Shanghai	US\$ 1,400

The price includes Air Compressor, Two Spare Heaters, Two Sparer Materials Bars, Static Electricity Brush, Installation Box and other Spare Parts

SMART ENTRY SYSTEM — FRONT PANEL

- Speed, Temp and Lamination Statistics, Easy To Check Figures of Set Temp, Real Temp and Button Speed, As Well As Find Lamination Records in 30 Days
- Date and Time Display
- Roller Up and Down



SMART ENTRY SYSTEM — REAR PANEL

- Lamination Start and Stop
- Speed Statistics, Show Button Speed, Which is Convenient to Adjust Machine Speed
- Active Cutter Device, Easy to Use

ALUMINUM-ALLOY ACTIVE CUTTING ROD

- Fully Position Adjustable Cutters
- Aluminum Alloy Cutting Rod



SAFETY VERTICAL CUTTER

- Equipped With 3 Trimmer Holders, 2 Single and 1 Double Central Blade
- Upgraded With Two Paddles on 2 Single Trimmer Holders
- Durable Tungsten Steel Blades, Can Cut Common Medias with A Lifetime That Over 15000m

ANTI-STATIC LINER

- Anti-Static String is Efficient Way to Ease Static
- Upgraded Shaft Caps And Holders Can be Easily Locked and Loaded Media



HAND SAFETY SENSOR

- Hand Safety Sensor will Protect Operator Safety
- When Foreign Matter into Laminator, Laminator
- Will Stop and Roll up Automatically
- After Laminator Stopped Automatically Will Be Sound and Light Alarm

STRENGTHEN MATERIALS BAR

- Winding Diameter is 320mm.
- Stable and Durable Frame Design can Meet 200 meters of Vinyl Sticker Lamination



SILICON ROLLER

- Silicon Roller for Heavy-Duty Work.
- Can Avoid Any Bubbles and Folds during Lamination
- Roller use Silicon and Solid Seamless Steel Tube